



i550 Frequency inverter**I55AE175F10V10000S**

Note: The model shown is a simplified representation. Minor deviations may occur.

16064604_3D.stp
16064604_datatable.csv
16064604_datatable.xls

3D Handling Commands**Technical product information****i550 Frequency inverter****Inverter****i550-C0.75/400-3****Type****I55AE175F10V10000S**

Rated power
Rated mains voltage
Output current
RFI filter
Output frequency
I/O extension
Enclosure
Mounting location
Weight / unit





0.75 kW/1 HP
3/PE 400/480 V AC
2.4/2.1 A
Integrated
0-599 Hz
Standard I/O
IP20
Control cabinet
1.130 KG

0.25 kW ... 0.75 kW

The dimensions in mm apply to:

0.25 kW	I55AE125A			
0.37 kW	I55AE137A			
0.55 kW		I55AE155B	I55AE155D	I55AE155F
0.75 kW		I55AE175B	I55AE175D	I55AE175F
Weight	1 kg	1 kg	1 kg	1 kg

Note: The specified installation clearances are minimum dimensions to ensure a sufficient air circulation for cooling purposes.
They do not consider the bend radiuses of the connecting cables.







8800264

0.33 hp ... 1 hp

The dimensions in inch apply to:

0.33 hp	I55AE125A			
0.5 hp	I55AE137A			
0.75 hp		I55AE155B	I55AE155D	I55AE155F
1 hp		I55AE175B	I55AE175D	I55AE175F
Weight	2.2 lb	2.2 lb	2.2 lb	2.2 lb

Note: The specified installation clearances are minimum dimensions to ensure a sufficient air circulation for cooling purposes. They do not consider the bend radiuses of the connecting cables.



8800299